5. REFERENCES

- Abdelbary G, Eouani C, Prinderre P, Joachim J Reynier Jp., Piccerelle Ph. Determination of the in vitro disintegration profile of Rapidly disintegrating tablets and correlation with oral disintegration. Int J Pharm 2005; 278(2): 29-41.
- Akihiko I, Masayasu S. Development of oral dosage form for elderly patients; use of agar base of rapidly disintegrating oral tablets. Chem Pharm Bull 1996; 44(11): 2132-6.
- Akinori I, Toshiyuki N. Rapidly releasing and taste masking pharmaceutical dosage form. US Patent 1998; 6221402.
- Bi YX, Sunanda M, Yonezawa Y, Danjo K. Evaluation of rapidly disintegrating tablets prepared by a direct compression method. Drug Dev Ind Pharm 1999; 25(5): 571-81.
- Chien YW. Novel drug delivery systems. New York – Marcel Dekker Inc., 2nd edn; 1992: 50.
- Chue P, Welch R, Binder C. Acceptability and disintegration rates of orally disintegrating Resperidone tablets in patients with Schizophrenia or Schizoaffective disorder. Can J Psychiatry. 2004; 49(10): 701-3.
- Crospovidone. Chem Pharm Bull 2002; 50(2): 193-8.
- Danckwerts MP. Intra oral drug delivery; A comparative review. Amer J Drug Delivery 2003; 3: 171-86.
- Dobetti L. Fast disintegrating tabelts, 2003,US Patent 6,59,311.
- Francesco Cilurzo, Irma E. Cupone, Paola Minghetti, Francesca Selmin, Luisa Montanari, Fast dissolving films made of maltodextrins, European Journal of Pharmaceutics and Biopharmaceutics, 2008; 70, 895–900.
- Habib W, Khankari RK, Hontz J. Fast-dissolve drug delivery systems. Crit Rev Th er Drug Carrier Sys 2000; 17:61–72.
- Hector Fausett, Charless Gaysu Jr., Dash KD. Evaluation of quick disintegrating calcium carbonate tablets. AAPS Pharma Sci Tech 2000; 1(3): article 20 (http//www.pharmascitech.com)

- Indurwade NH, Rajyaguru TH, Nakhat PD. Novel approach – fast is dissolving tablets. Indian Drugs 2002; 39(8): 405-9.
- Ishikawa T, Mukai B, Shiraishi S, Naoki U, Makiko F, Matsumoto M, et al. Preparation of rapidly disintegrating tablet using new types of microcrystalline cellulose (PH-M series) and low substituted hydroxy propyl cellulose or spherical granules by direct compression method. Chem Pharm Bull 2001; 49(2): 134-9.
- Kaushik D, Dureja, Saini TR. Formulation and evaluation of Olanzapine mouth dissolving tablets by effervescent formulation approach. Indian Drugs 2004; 41(7): 410-12.
- Kozumi K, Watanabe Y, Morita K, Utoguchi N, Motsumoto M. New method of preparing high porosity rapidly saliva soluble compressed tablets using mannitol with camphor, a subliming material. Int J Pharm 1997; 152: 127-31.
- Kozumi K, Watanabe Y, Morita K, Utoguchi N, Motsumoto M. New method of preparing high porosity rapidly saliva soluble compressed tablets using mannitol with camphor, a subliming material. Int J Pharm 1997; 152: 127-31.
- Lalla JK, Mamania HM. Fast dissolving Rofecoxib tablets. Indian J Pharm Sci 2004; 66(3): 350-3.
- Mahajan HS, Kuchekar BS, Badhan AC. Mouth dissolving tablets of Sumatriptan succinate. Indian J Pharm Sci 2004; 66(2): 238-40.
- Mane AR, Kusum Devi, Asha AN. A novel technique for the preparation of mouth dissolving tablets of Domperidone. Indian Drugs 2003; 40(9): 544-6.
- Mitesh Nagar and A. V. Yadav, Cinnarizine Orodispersible Tablets: A Chitosan Based Fast Mouth Dissolving Technology, (2009), International Journal of PharmTech Research, 1; 4, 1079-1091.
- Morita Y, Tsushima Y, Yasui M, Termoz R, Ajioka J, Jakayama K. Evaluation of the disintegration time of a rapidly disintegrating tablet via a novel method utilizing a CCD Camera. Chem Pharm Bull 2002; 50(9): 1181-6.
- Mukesh G, Patel M, Amin A, Agarwal R, Davel R, Bariya N. Formulation, design and optimization of mouth dissolve tablets of Nimesulide using vacuum drying technique. AAPS Pharm Sci Tech 2004; 5(3); Article 36 (http://www.aapspharmscitech.org)

- Nirav MK, Shah SS, Devarajan PV. D-Zolv-mouth tablets. Indian J Pharm Sci 2000; 62(2): 527.
- Ozeki T, Yasuzawa Y, Katsuyama H, Takashima Y, Kasai T, Euguchi T, et al. Design of rapidly disintegrating oral tablets using Acid-treated yeast cell wall; A technical note. AAPS Pharma Sci Tech 2003; 4(4): Article 70 (http://www.pharmascitech.com)
- Popa G, Gafitanu E. Oral disintegrating tablets, a new modern solid dosage form. Rev Med Chir Soc Med Nat Iasi 2003; 107(2): 337-42.
- Redkar MR, Gore SP, Devarajan PV. D-Zolv taste masked mouth dissolve tablets. Indian J Pharm Sci 2002; 64(3): 291-2.
- Sastry SKV, Nyshadham JR, Fix JA. Recent technological advances in oral drug delivery – a review. Research Focus Pharma Technol 2000; 3(4); 138-45.
- Seager H. Drug delivery products and Zydus fast dissolving dosage form. J Pharm Pharmacol 1998; 50: 375-82.
- Semi K, Baba Y, Inomata S, Toyooka H, Konda Y. Preparation and clinical evaluation of orally-disintegrating clonidine hydrochloride tablets for preanaesthetic medication. Yakugaku Zasshi 2000; 120(7): 652.
- Shenoy V, Agarwal S, Pandey S. Optimizing fast dissolving dosage form by Diclofenac sodium by rapidly disintegrating agents. Indian J Pharm Sci 2003; 25(2): 197-202.
- Shicheng Y, Yurong F, Seong HJ, Kinam P. Application of poly (acrylic acid) superporous hydrogel microparticles as a superdisintegrant in fast disintegrating tablets. J Pharm Pharmacol 2004; 56: 429-36.
- Shimizu T, Sugaya M, Nakano Y, Izutsu D, Mizukami Y, Okochi K, et al. Formulation study of Lansoprazole fast disintegrating tablet. III. Design of rapidly disintegrating tablets. Chem Pharm Bull 2003; 51(10): 1121-7.
- Shimizu T, Sugaya M, Nakano Y, Izutsu D, Mizukami Y, Okochi K, et al. Formulation study of Lansoprazole fast disintegrating tablet. III. Design of rapidly disintegrating tablets. Chem Pharm Bull 2003; 51(10): 1121-7.

- Shu T, Suzuki H, Hironaka K, Ito K. Studies of rapidly disintegrating tablets in the oral cavity using co-ground mixtures of Mannitol withWadhawani AR, Amin PD. Mouth dissolve tablets of Roxithromycin. Indian J Pharm Sci 2002; 64(3): 295-6.
- Sophie-Dorothedas Silva, Kocova El-Arini. Evaluation of disintegration testing of different fast dissolving tablets using the texture analyzer. Pharma Dev Technol 2002.
- Subash PG, Devarajan PV. Mouth dissolve tablets – Design of an in vitro disintegration test. Indian J Pharm Sci 2000; 62(2): 508.
- Sugimoto M, Matsubara K, Koida Y, Kobayashi M. The preparation of rapidly disintegrating tablets in the mouth. Pharma Dev Technol 2001; 6(4): 487-93.
- Sunita Dahiya, Sachin Asati and Vivek Mallurwar, Formulation And Evaluation Of Granisetron Hydrochloride Orodispersible Tablets, 2011 Bulletin of Pharmaceutical Research; 1(2), 41.
- Valleri M, Mura P, Maestrelli F, Cirri M, Ballerini R. Devalopment and evaluation of Glyburide fast dissolving tablets for using solid dispersion technique, Drug Dev Ind Pharm. 2004; 30(5): 525-34.
- Watanabe A, Hanawa T, Sugihara M. New oral dosage for the elderly; rapidly dissolving tablet in mouth without the addition of water. J Pharm Sci Technol 1994; 54: 103-10.
- Watanabe Y, Koizumi K, Zama Y, Matsumoto Y, Motsumoto M. New compressed tablet rapidly disintegrating in saliva in the mouth using crystalline cellulose and a disintegrant. Biol Pharm Bull 1995; 18(9): 1308-10.
- Yunxia B, Hisakazu S, Yorinobu Y, Kazumi D, Akinobu O, Kotaro I. Preparation and evaluation of compressed tablet rapidly disintegrating in the oral cavity. Chem Pharm Bull 1996; 44(11): 2121-7.